



Product Data Sheet

DuPont™ TapTec™ Residential Reverse Osmosis (RO) TT-3012-600 Element with Brine Seal

Description

DuPont™ TapTec™ Residential Reverse Osmosis (RO) Elements leverages the proven technologies from DuPont - one of the most trusted solution providers in water treatment and the inventor of thin-film composite RO membrane, the core of modern RO technology. Focused on the local water conditions and water purifier operations, DuPont™ TapTec™ TT-3012-600 RO elements offer balanced high flow performance and rejection, ideal for high flow water purifier applications.

TT-3012-600 Residential RO element offers the following benefits:

- New advanced membrane chemistry can achieve superior flux and good stabilized salt rejection
- Proven consistency and reliability for longer membrane life

Product Type


Spiral-wound element with polyamide thin-film composite membrane

Typical Properties

| TapTec™ Element | Applied Pressure | | Permeate Flow Rate | | Salt Rejection (%) |
|-----------------|------------------|-------|--------------------|-------|--------------------|
| | (psig) | (bar) | (GPD) | (L/m) | |
| TT-3012-600 | 100 | 6.9 | 700 | 1.84 | 94 |

1. Permeate flow and salt rejection based on the following test conditions: 250 ppm NaCl, 77°F (25°C), pH 7.0, 60% recovery and the specified applied pressure, 30 minutes initial performance.
2. Permeate flow rate and salt rejection are minimum value.
3. Specifications may change subject to technology and design adjustment. DuPont reserves the right to change without notification and customer should consult with local sales representative for latest update when needed.

Element Dimensions



| TapTec™ Element | A | | B | | C | | D | | E | | F | |
|-----------------|-------|------|-------|------|-------|------|-------|------|-------|------|-------|------|
| | (in.) | (mm) | (in.) | (mm) | (in.) | (mm) | (in.) | (mm) | (in.) | (mm) | (in.) | (mm) |
| TT-3012-600 | 11.73 | 298 | 0.87 | 22 | 0.67 | 17 | 2.91 | 74 | 10.28 | 261 | 0.59 | 15 |

1. BS refers to brine seal.

Storage

Refer to [Storage and Shipping of New FilmTec™ Elements](#) (Form No. 45-D01633-en) for further information.

Product Stewardship

DuPont has a fundamental concern for all who make, distribute, and use its products, and for the environment in which we live. This concern is the basis for our product stewardship philosophy by which we assess the safety, health, and environmental information on our products and then take appropriate steps to protect employee and public health and our environment. The success of our product stewardship program rests with each and every individual involved with DuPont products—from the initial concept and research, to manufacture, use, sale, disposal, and recycle of each product.

Customer Notice

DuPont strongly encourages its customers to review both their manufacturing processes and their applications of DuPont products from the standpoint of human health and environmental quality to ensure that DuPont products are not used in ways for which they are not intended or tested. DuPont personnel are available to answer your questions and to provide reasonable technical support. DuPont product literature, including safety data sheets, should be consulted prior to use of DuPont products. Current safety data sheets are available from DuPont.

Please be aware of the following:

- The use of this product in and of itself does not necessarily guarantee the removal of cysts and pathogens from water. Effective cyst and pathogen reduction is dependent on the complete system design and on the operation and maintenance of the system.
- Permeate obtained from the first hour of operation should be discarded.

Regulatory Note

This product may be subject to drinking water application restrictions in some countries; please check the application status before use and sale.

Have a question? Contact us at:

www.dupont.com/water/contact-us

All information set forth herein is for informational purposes only. This information is general information and may differ from that based on actual conditions. Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where DuPont is represented. The claims made may not have been approved for use in all countries. Please note that physical properties may vary depending on certain conditions and while operating conditions stated in this document are intended to lengthen product lifespan and/or improve product performance, it will ultimately depend on actual circumstances and is in no event a guarantee of achieving any specific results. DuPont assumes no obligation or liability for the information in this document. References to "DuPont" or the "Company" mean the DuPont legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. No freedom from infringement of any patent or trademark owned by DuPont or others is to be inferred.

© 2022 DuPont. DuPont™, the DuPont Oval Logo, and all trademarks and service marks denoted with ™, SM or ® are owned by affiliates of DuPont de Nemours Inc., unless otherwise noted.

